



**VERPAN**

PREMIUM DESIGN

| ALU DOORS |

CATALOGUE \_ V01



**VERPAN**  
PREMIUM DESIGN

**VERPAN** is a family owned company. We are producing Entrance doors as well as door panels and interior doors. Our products are widely spread around the world.

**Your entrance door at a glance**

Entrance door is not only an element you need, it's the element that defines you.

It's the element that defines your personality, your love and your concern for your home. It's the element that provides you with safety and warmth.


**We produce high - quality durable entrance doors**

We make high quality entrance doors from aluminum combined with stainless steel and glass, in various designs, across different styles, in all Price ranges.

**Our primary goal is to produce high quality products.**

**Our top priority is the satisfaction of our customers.**

Follow your style with our high - quality entrance doors.



# SUPERIOR 3DLINE



**VERPAN**  
PREMIUM DESIGN

# **SUPERIOR 3DLINE**

**For some people one way is not enough!**

They need more.  
They need bright strength and luminous art.  
They need a door like Superior 3d Entrance.

**SUPERIOR 3D**  
LINE





V10100



V10201

**SUPERIOR 3D  
LINE**



V10104






V10301




V10101



VERPAN | SUPERIOR 3D GIRAFFE LINE






# SUPERIOR 3D GIRAFFELINE

**An entrance that glows.**

Inspired from nature!

**SUPERIOR 3D  
GIRAFFELINE**






V20200



V20201

**SUPERIOR 3D  
GIRAFFELINE**



V20202



V20203




V20204

# SUPERIOR 3D LINE

## STANDARD EQUIPMENT

Both - sided sash overlapping panel 95.5mm. Aluminium thickness 3mm and 2x2mm. Inox ornaments on the same level with alu sheets.

- > **3 hinges** Rollenband 3D
- > **Inside handle** Inox ID-35
- > **Outside Handle Angular**  
inox 1600mm placed on panel
- > **Glazing** 4 glasses, safety glass inside and outside 33.1+4+4+33.1
- > **Safety cylinder** with five keys
- > **Rosette ring**
- > **3 point** security door locking system with hooks
- > **Anodised Threshold**
- > **Ud = 0.81 W/m<sup>2</sup>K**





# SUPERIOR 3D LINE

## STANDARD EQUIPMENT



4 glasses, safety glass inside and outside 33.1+4+4+33.1



Safety cylinder EX-200



Round rosette EX-900



Rollenband EX-304



Inside Handle ID-35 EX-502




OUTSIDE HANDLE 1600MM  
V440.60.1600

3 point hooklock



EX-100

### VERTICAL SECTION



# AVANTAGELINE

ELWITL 06-03-2018





# AVANTAGELINE

**The absolute flat!**  
**Touch and feel a refined, flat, glassy surface.**

Install an Entrance door from Avantage line.  
Let people wonder what is behind!!!

**AVANTAGE**  
LINE





**VO143**  
AVANTAGE | ELEGRAND LINE



**VO170**  
AVANTAGE | ELEGRAND LINE

**AVANTAGE  
LINE**




**Vo480**  
AVANTAGE LINE



**Vo220**  
AVANTAGE LINE



**Vo232**  
AVANTAGE | ELEGRAND LINE



VO321

AVANTAGE | ELEGRAND LINE



**AVANTAGE**  
LINE



**VO340**  
AVANTAGE | ELEGRAND LINE





**VO430**  
AVANTAGE LINE



**VO453**  
AVANTAGE | ELEGRAND LINE

# AVANTAGE LINE



VO462  
AVANTAGE | ELEGRAND LINE



VO463  
AVANTAGE | ELEGRAND LINE



VO470  
AVANTAGE | ELEGRAND LINE



VO103  
AVANTAGE | ELEGRAND LINE

# AVANTAGE LINE



Vo500  
AVANTAGE | ELEGRAND LINE



Vo502  
AVANTAGE | ELEGRAND LINE



Vo560  
AVANTAGE | ELEGRAND LINE



V1330  
AVANTAGE | ELEGRAND LINE




V1350  
AVANTAGE | ELEGRAND LINE


# AVANTAGE LINE




V1360  
AVANTAGE | ELEGRAND LINE



V1390  
AVANTAGE | ELEGRAND LINE



V1400  
AVANTAGE | ELEGRAND LINE



V1410  
AVANTAGE | ELEGRAND LINE

AVANTAGE  
LINE



V1220  
AVANTAGE | ELEGRAND LINE





**V1230**  
AVANTAGE | ELEGRAND LINE




**V1300**  
AVANTAGE | ELEGRAND LINE

# AVANTAGE LINE

## STANDARD EQUIPMENT

Both - sided sash overlapping panel 77mm. Aluminium thickness 3mm and 3mm. Inox ornaments on the same level with alu sheets.

- > **3 hinges** 3D
- > **Inside handle** Inox ID-20
- > **Outside Handle Round**  
inox 800 mm placed on sash
- > **Glazing** 4 glasses, safety glass  
outside 33.1+4+4+4
- > **Safety cylinder** with five keys
- > **Rosette ring**
- > **3 point** security door locking  
system with hooks
- > **Anodised Threshold**
- > **Ud = 0.92 W/m<sup>2</sup>K**



# AVANTAGE LINE

## STANDARD EQUIPMENT



4 glasses, safety glass  
outside 33.1+4+4+4



Safety cylinder  
EX-200



Round rosette  
EX-900



3D Hinge  
EX-301



Inside Handle ID-20  
EX-500




OUTSIDE HANDLE 800MM  
V175.30.800



3 point hooklock

EX-100

### VERTICAL SECTION



# ELEGRANDLINE





# ELEGRANDLINE

**As flat as curved!**

When architecture demands it!!!

**ELEGRAND**  
LINE





**VO101**  
ELEGRAND | AVANTAGE LINE



**VO102**  
ELEGRAND | AVANTAGE LINE

# ELEGRAND LINE



**Vo130**

ELEGRAND | AVANTAGE  
COMPACT | ECO LINE



**Vo151**

ELEGRAND | AVANTAGE LINE



**Vo171**

ELEGRAND | AVANTAGE LINE





VO172

ELEGRAND | AVANTAGE LINE



**ELEGRAND**  
LINE



**V1630**

ELEGRAND | AVANTAGE  
COMPACT | ECO LINE



**VO210**  
ELEGRAND | AVANTAGE | COMPACT LINE



**VO221**  
ELEGRAND | AVANTAGE LINE

**ELEGRAND**  
LINE



**VO230**  
ELEGRAND | AVANTAGE LINE



**VO250**  
ELEGRAND | AVANTAGE LINE




**VO251**  
ELEGRAND | AVANTAGE LINE



VO260  
ELEGRAND | AVANTAGE LINE

**ELEGRAND**  
LINE



**Vo281**  
ELEGRAND | AVANTAGE LINE




**Vo302**  
ELEGRAND | AVANTAGE LINE



**Vo320**  
ELEGRAND | AVANTAGE LINE




**VO330**  
ELEGRAND | AVANTAGE LINE



**VO350**  
ELEGRAND | AVANTAGE LINE

# ELEGRAND LINE



VO351  
ELEGRAND | AVANTAGE LINE



VO361  
ELEGRAND | AVANTAGE LINE



VO391  
ELEGRAND | AVANTAGE LINE





VO411

ELEGRAND | AVANTAGE LINE



**ELEGRAND**  
LINE



**V1250**  
ELEGRAND | AVANTAGE LINE




**VO431**  
ELEGRAND | AVANTAGE LINE



**VO491**  
ELEGRAND | AVANTAGE LINE




**VO550**  
ELEGRAND | AVANTAGE LINE




**V1240**  
ELEGRAND | AVANTAGE LINE

**ELEGRAND**  
LINE




**VO270**  
ELEGRAND | AVANTAGE LINE



**VO510**  
ELEGRAND | AVANTAGE LINE



**V1420**  
ELEGRAND | AVANTAGE LINE



V1500  
ELEGRAND | AVANTAGE LINE



Vo580  
ELEGRAND | AVANTAGE LINE

**ELEGRAND**  
LINE



**V1260**  
ELEGRAND | AVANTAGE LINE



**V1270**  
ELEGRAND | AVANTAGE LINE




**V1280**  
ELEGRAND | AVANTAGE LINE



**VERPAN**


PREMIUM DESIGN



V1310

ELEGRAND | AVANTAGE LINE

VERPAN | ELEGANT TRADITIONALLINE








# ELEGRAND TRADITIONALLINE

Your romantic traditional home  
needs an everlasting beauty!!!

Traditional Handmade Entrance door to last through time.

**ELEGRAND**  
**TRADITIONALLINE**



V1030  
ELEGRAND | AVANTAGE LINE



V1031  
ELEGRAND | AVANTAGE LINE



V1060  
ELEGRAND | AVANTAGE LINE



V1063  
ELEGRAND | AVANTAGE LINE



**ELEGRAND**  
**TRADITIONALLINE**



V1100  
ELEGRAND | AVANTAGE LINE



V0530  
ELEGRAND | AVANTAGE LINE



V0534  
ELEGRAND | AVANTAGE LINE



V1101  
ELEGRAND | AVANTAGE LINE




# ELEGRANDLINE


## STANDARD EQUIPMENT

Both - sided sash overlapping panel 78.2mm. Aluminium thickness 2mm and 1mm. Inox ornaments on the same level with alu sheets.

- > **3 hinges** 2D
- > **Inside handle** Inox ID-20
- > **Outside Handle Round**  
inox 800 mm placed on sash
- > **Glazing** 3 glasses, 4+4+4
- > **Simple cylinder** with three keys
- > **Rosette ring**
- > **3 point** security door locking system with hooks
- > **Anodised Threshold**
- > **Ud = 0.98 W/m<sup>2</sup>K**



## STANDARD EQUIPMENT



3 glasses 4+4+4



Simple cylinder  
EX-206



Round rosette  
EX-900



2D Hinge  
EX-305



Inside Handle ID-20  
EX-500




OUTSIDE HANDLE 800MM  
V175.30.800

3 point hooklock

EX-100

### VERTICAL SECTION



VERPAN | COMPACTLINE





A vertical strip on the left side of the page shows a wood grain texture with wavy, horizontal lines in shades of light brown and tan.

# COMPACTLINE

**A solution for you!**

Simple and beautiful!!!

**COMPACT**  
LINE





**Vo100**  
COMPACT | AVANTAGE  
ELEGRAND LINE



**Vo110**  
COMPACT | AVANTAGE  
ELEGRAND LINE

**COMPACT  
LINE**




**Vo111**  
COMPACT | AVANTAGE  
ELEGRAND | ECO LINE



**Vo131**  
COMPACT  
AVANTAGE | ECO LINE



**Vo160**  
COMPACT | ELEGRAND LINE



VO101

COMPACT | ELEGRAND LINE




**COMPACT**  
LINE



**Vo190**  
COMPACT | AVANTAGE  
ELEGRAND LINE




**VO200**  
COMPACT | AVANTAGE  
ELEGRAND | ECO LINE



**VO222**  
COMPACT | ELEGRAND LINE

# COMPACT LINE



**Vo261**  
COMPACT | ELEGRAND LINE




**Vo280**  
COMPACT  
ELEGRAND | ECO LINE



**Vo392**  
COMPACT | AVANTAGE  
ELEGRAND LINE





VO581  
COMPACT | ELEGRAND | ECO LINE

COMPACT  
LINE




V1340

COMPACT | ELEGRAND | ECO LINE



V1380  
COMPACT | ELEGRAND LINE




V1430  
COMPACT | ELEGRAND LINE

# COMPACTLINE

## STANDARD EQUIPMENT


Both – sided sash overlapping panel 69.1mm. Aluminium thickness 1.5mm and 1.5mm. Inox ornaments above the level of alu sheets.

- > **3 hinges** 2D
- > **Inside handle** Inox ID-20
- > **Outside Handle Round**  
inox 400 mm placed on sash
- > **Glazing** 3 glasses, 4+4+4
- > **Simple cylinder** with three keys
- > **Rosette ring**
- > **1 point** locking system
- > **Anodised Threshold**
- > **Ud = 0.96 W/m<sup>2</sup>K**



# COMPACTLINE

## STANDARD EQUIPMENT



3 glasses 4+4+4



Simple cylinder  
EX-206



Round rosette  
EX-900



2D Hinge  
EX-306



Inside Handle ID-20  
EX-500




1 point lock  
EX-107



OUTSIDE HANDLE 400MM  
V175.30.400

### VERTICAL SECTION



 VERPAN | ECOLINE





**ECOLINE**

**Simple and free of exaggerations!**

Simplicity of straight lines.

ECOLINE







**VO112**

ECO | ELEGRAND | COMPACT LINE



**VO144**

ECO | ELEGRAND | COMPACT LINE

ECOLINE



Vo130

ECO | AVANTAGE  
ELEGRAND | COMPACT LINE




Vo311

ECO | AVANTAGE  
ELEGRAND | COMPACT LINE



Vo360

ECO | ELEGRAND | COMPACT LINE




VO440  
ECO | COMPACT LINE


# ECOLINE

## STANDARD EQUIPMENT

Both - sided sash overlapping panel 64.3mm. Aluminium thickness 1.5mm and 1mm. Inox ornaments above the level of alu sheets.

- > **3 hinges**
- > **Inside handle** Inox ID-20
- > **Outside Handle Round**  
inox 400 mm placed on sash
- > **Glazing** 3 glasses, 4+4+4
- > **Simple cylinder** with three keys
- > **Rosette**
- > **1 point** locking system
- > **Anodised Threshold**





3 glasses 4+4+4



Simple cylinder  
EX-206



Round rossette  
EX-901



Eco Hinge  
EX-307



Inside Handle ID-20  
EX-500




1 point lock  
EX-107



OUTSIDE HANDLE 400MM  
V175.30.400

### VERTICAL SECTION



# EXTRA EQUIPMENT



Key Protection  
EX-705



Key Protection  
EX-704



Bluetooth  
opening system  
EX-402



Fingercan  
opening system  
EX-401



Keyboard  
opening system  
EX-403

V175 Round Handle on sash	
KQΔ / CODE	L (mm)
V175.30.400	400
V175.30.600	600
V175.30.800	800
V175.30.1000	1000
V175.30.1200	1200
V175.30.1400	1400
V175.30.1600	1600
V175.30.1800	1800



V170 Round Handle on panel	
KQΔ / CODE	L (mm)
V170.40.400	400
V170.40.600	600
V170.40.800	800
V170.40.1000	1000
V170.40.1200	1200
V170.40.1400	1400
V170.40.1600	1600
V170.40.1800	1800



V235 Angular Handle on sash	
KQΔ / CODE	L (mm)
V235.50.400	400
V235.50.600	600
V235.50.800	800
V235.50.1000	1000
V235.50.1200	1200
V235.50.1400	1400
V235.50.1600	1600
V235.50.1800	1800




V440 Angular Handle on panel	
KQΔ / CODE	L (mm)
V440.60.400	400
V440.60.600	600
V440.60.800	800
V440.60.1000	1000
V440.60.1200	1200
V440.60.1400	1400
V440.60.1600	1600
V440.60.1800	1800



V145 Arched Handle	
KQΔ / CODE	L (mm)
V145.80.500	500
V145.80.800	800
V145.80.1000	1000
V145.80.1200	1200
V145.80.1400	1400



V70 Angular Handle on sash with integrated finger scan	
KQΔ / CODE	L (mm)
V70.1200	1200



V90 / V90F (FINGERPRINT)	
KQΔ / CODE	L (mm)
V90	400
V90 F (Fingerprint)	400



V810 (L=826 D=400) Handle on panel	
KQΔ / CODE	L (mm)
V810	826



Foot protection - EX-707



Foot protection - EX-706

0 1 2 3 4 5 6 7 8 9

Numbers from stainless steel - EX-708


0 1 2 3 4 5 6 7 8 9

Numbers from glass inside panel - EX-709



V820 Hidden Handle in panel	
KQΔ / CODE	L (mm)
V820	200-2000

# EXTRA EQUIPMENT



Hinge  
EX-301



Hidden Hinge  
EX-303



Hinge  
EX-304



Hinges safety  
EX-310



Safety Rosette  
EX-902



Safety Rosette  
EX-903



Safety Rosette  
EX-904



Safety Rosette  
EX-905



Cylinder with keys  
in and out EX-203



Safety cylinder  
EX-200



Electric strike  
EX-400




Block (EX-105)  
EX-409



Spyhole  
EX-404



Spyhole with  
camera EX-405



Door closer  
EX-600



Door closer  
EX-601




Inside Handle  
ID 20 EX-500



Inside Handle  
ID 30 EX-501



Inside Handle  
ID 35 EX-502



5 point hooklock

EX-102

EX-104: 3 point electric hooklock | EX-101: 3 point hooklock automatic




EX-104  
EX-101

17 point hooklock with 2 double hooks and 12 safe bolts

EX-103

3 point hooklock with trap

EX-105





7.5 klm. Veria - Naousa  
GR 59132, P.O. Box 130  
Veria, Greece

Tel: +30 23310 93025  
+30 23310 93285  
Fax: +30 23310 93085

[www.verpan.gr](http://www.verpan.gr)  
email: [info@verpan.gr](mailto:info@verpan.gr)